



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/660,801	09/12/2003	Kwang-du Lee	249/396	7063
7590	03/22/2005		EXAMINER	
LEE & STERBA, P.C. Suite 2000 1101 Wilson Boulevard Arlington, VA 22209			DONOVAN, LINCOLN D	
			ART UNIT	PAPER NUMBER
			2832	

DATE MAILED: 03/22/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary	Application No.	Applicant(s)	
	10/660,801	LEE ET AL.	
	Examiner	Art Unit	
	Lincoln Donovan	2832	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) Responsive to communication(s) filed on 10 January 2005.
 2a) This action is FINAL. 2b) This action is non-final.
 3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) Claim(s) 1-18 is/are pending in the application.
 4a) Of the above claim(s) 5,10,12 and 18 is/are withdrawn from consideration.
 5) Claim(s) _____ is/are allowed.
 6) Claim(s) 1-4,6-9,11,13 and 15-17 is/are rejected.
 7) Claim(s) _____ is/are objected to.
 8) Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) The specification is objected to by the Examiner.
 10) The drawing(s) filed on _____ is/are: a) accepted or b) objected to by the Examiner.
 Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
 Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
 11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 a) All b) Some * c) None of:
 1. Certified copies of the priority documents have been received.
 2. Certified copies of the priority documents have been received in Application No. _____.
 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|---|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____ . |
| 3) <input checked="" type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date <u>09-12-03</u> . | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| | 6) <input type="checkbox"/> Other: _____ . |

DETAILED ACTION

Election/Restrictions

Claims 5, 10, 12 and 18 are withdrawn from further consideration pursuant to 37 CFR 1.142(b) as being drawn to nonelected claimed embodiments, there being no allowable generic or linking claim. Election was made **without** traverse in the reply filed on 01-10-05.

Drawings

The drawings are objected to under 37 CFR 1.83(a). The drawings must show every feature of the invention specified in the claims. Therefore, the vertical spiral structures must be shown or the feature(s) canceled from the claim(s). No new matter should be entered.

Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The figure or figure number of an amended drawing should not be labeled as "amended." If a drawing figure is to be canceled, the appropriate figure must be removed from the replacement sheet, and where necessary, the remaining figures must be renumbered and appropriate changes made to the brief description of the several views of the drawings for consistency. Additional replacement sheets may be necessary to show the renumbering of the remaining figures. Each drawing sheet submitted after the filing date of an application must be labeled in the top margin as either "Replacement Sheet" or "New

Sheet" pursuant to 37 CFR 1.121(d). If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

Claim Rejections - 35 USC § 112

The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

Claims 1-4, 6-9, 11, 13 and 15-16 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

Regarding claim 1, applicant should clarify the structure of the "plurality of unit inductors each having a vertical spiral structure." It is not clear what applicant is forming with the "unit inductors" or what the specific structure of the unit conductor is. Applicant should clarify the specific shape intended by an "inverted trapezoid."

Regarding claims 6 and 15-17, applicant should clarify the specific structure intended by the metal layers.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

- (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Art Unit: 2832

Claims 1-4, as best understood in view of the rejections under USC 112, 2nd paragraph, are rejected under 35 U.S.C. 103(a) as being unpatentable over applicant's admitted prior art shown in figure 3, AAPA, hereinafter, in view of West [US 3,638,156].

AAPA disclose an inductor assembly [figure 3] including a plurality of unit inductors [201, 205, 207] each forming a spiral structure.

AAPA disclose everything claimed except the cross-section of each of the plurality of unit inductors being an "inverted trapezoid."

West discloses an inductor assembly [figure 2] having a plurality of non-overlapping unit inductors [48] each arranged as an inverted trapezoid, each having the same size, length, width and each being formed as a metal layer [figures 1-2].

It would have been obvious to one of ordinary skill in the art at the time the invention was made to use the inverted trapezoid configuration for the inductors of AAPA, as suggested by West, in order to reduce losses.

Claims 6-9, 11, 13 and 15-17, as best understood in view of the rejections under USC 112, 2nd paragraph, are rejected under 35 U.S.C. 103(a) as being unpatentable over AAPA, as modified, as applied to claims 1-4 above, and further in view of Johnson [US 6,445,271].

AAPA, as modified, disclose everything claimed except the unit inductors being interconnected with a plug member, or via.

Johnson discloses an inductor assembly [figure 1a] having a plurality of inductor units [17, 27] interconnected with plug members [14, 15, figure 1b].

Art Unit: 2832

It would have been obvious to one of ordinary skill in the art at the time the invention was made to use plug members with the inductor assembly of AAPA, as modified, as suggested by Johnson, for the purpose of connecting the inductor units together within the substrate.


Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Lincoln Donovan whose telephone number is 571-272-1988. The examiner can normally be reached on M-F 8-5.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Enad Elvin can be reached on 571-272-1990. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

lhd



LINCOLN DONOVAN
PRIMARY EXAMINER
GROUP 2100